



E113668 Eurol Transfluid ATF-CVT

Complete specification list:

Acura ATF-Z1
Aisin Warner JWS 3309 (T-IV) & JWS 3324 (WS), AW-1
Aisin Warner AW-2, PSA 16 350 560 80, VW G 053 001
Allison C-3 & C-4
Allison TES-389
American Motors ATF +3 (MS7176-E)
ATF RED 1, RED 1K
Audi 5 HP LT71141 (ZF 5 HP 18FL/19FL/24A)
Audi/VW G 052 025-A2
Audi/VW G 053 025-A2
Audi/VW G 052 162-A1/A2 (ZF Lifeguardfluid 5)
Audi/VW G 055 005-A/A1/A2 (ZF Lifeguardfluid 6)
Audi/VW G 060 162 (ZF Lifeguardfluid 8)
Audi/VW G 055 025 A2 (JWS 3309)
Audi/VW G 052 990
Audi/VW G 055 540-A2
Audi/VW 052 055
Bentley PY112995PA
BMW 3.0 and 3+
BMW ATF 6
BMW JWS 3309 (T-IV)
BMW LA2634
BMW LT71141 (ZF 5 HP 18FL/19FL/24A)
BMW ZF 5HP18FL, 5HP24, 5HP30
BMW 7045E
BMW ETL-8072B
BMW 83 22 9 407 765
BMW 83 222 152 426
BMW 83 222 289 720
BMW ZF Lifeguardfluid 6
BMW ZF Lifeguardfluid 8
Bosch TE-ML 09
CAT TO-2
Chrysler ATF+, +2, +3 (MS 7176E)
Chrysler/Dodge MOPAR AS 68 RC (T-IV), JWS 3309
Chrysler/Dodge/Jeep 05127382AA
Chrysler/Dodge/Jeep 68043742AA
Chrysler/Dodge/Jeep 68157995AA
Daewoo LT 71141
Daihatsu AMMIX ATF D-II
Daihatsu AMMIX ATF D-III SP
Esso LT 71141
FIAT T-IV type, JWS 3309
Ford MERCON®
Ford XT-6-QSP or -DSP (SP)
Ford XT-2-QDX (M)
Ford XT-2-QSM (Syn)

Eurol B.V. Energiestraat 12, 7442 DA Nijverdal, The Netherlands, tel. +31 548 61 51 65, www.eurol.com

This document is intended to inform you about product properties and possible applications of Eurol products. Because of continuous product research and development, the information in this document can be changed at all times, without foregoing notice. The analytical data in this product data sheet are typical values. Small deviations, which may occur during the normal manufacturing process of the product, will not affect the quality of the product. Although this information sheet is compiled with great care, Eurol accepts no liability for damage resulting from incompleteness and/or inaccuracies in the text. We recommend that you always follow the manufacturer's instructions.



E113668 Eurol Transfluid ATF-CVT Complete specification list:

Ford XT-5-QM (V)
Ford ST-9-QMMF5
Ford MERCON® SP (XTG-QSP & -DSP)
Ford FNR5
Ford WSS M2C 922A1, 924A (XT-8-QAW) JWS 3309
Ford ESP-M2C166H, XL-12
Fuso ATF-II
Fuso ATF-SPIII
Fuso ATF-A4
GM9986195 (Aisin AW, JWS 3309)
GM TASA
GM DEXRON®-II
GM DEXRON®-IID
GM DEXRON®-IIE
GM DEXRON®-IIIG
GM DEXRON®-IIIH
GM/GMCOpel/Saturn AW-1
GM/GMCOpel/Saturn 88863400
GM/GMCOpel/Saturn 88863401
GM 1940700
GM 1940767
GM 21005966
GM 22717466
GM 88900925
GM 9986195
GM 93160393
GM 9985010 / 9985835
GM Autotrak II
GM VT40/GM HP CVT
Hino Blue ribbon ATF
Honda ATF-Z1
Honda Type 3.0 and 3.1
Honda DW-1
Hyundai/Kia SP-IV
Hyundai/Kia SPH-IV
Hyundai/Kia SP-IV M
Hyundai/Kia SP-IV-RR
Hyundai/Kia SP-III
Hyundai/Kia Dex-II/ SP-II
Hyundai SP-II M
Hyundai/Kia JWS 3314
Hyundai/Kia NWS 9638
Hyundai/Kia 040000C90SG
Idemitsu K17 3100 PL085
ISUZU ATF WSI
ISUZU BESCO ATF-II
ISUZU BESCO ATF-III

Eurol B.V. Energiestraat 12, 7442 DA Nijverdal, The Netherlands, tel. +31 548 61 51 65, www.eurol.com

This document is intended to inform you about product properties and possible applications of Eurol products. Because of continuous product research and development, the information in this document can be changed at all times, without foregoing notice. The analytical data in this product data sheet are typical values. Small deviations, which may occur during the normal manufacturing process of the product, will not affect the quality of the product. Although this information sheet is compiled with great care, Eurol accepts no liability for damage resulting from incompleteness and/or inaccuracies in the text. We recommend that you always follow the manufacturer's instructions.



E113668 Eurol Transfluid ATF-CVT Complete specification list:

ISUZU BESCO ATF-SP
ISUZU SCS Fluid
ISUZU 08200-9001
Jaguar ATF 3403 M115, ATF 3403-M115,
Jaguar ATF LT71141, ZF 5HP24
Jaguar ATF 3403 JLM20238,
Jaguar JLM 20292
Jaguar Fluid 8432
JASO M315-2013 1A
JASO M315-2013 1A-LV
JASO M315-2013 2A
JEEP ATF+3
Land Rover TYK500050
Land Rover LR0022460
Land Rover LR023288
Lexus JWS 3309
KIA ATF SP-II, SP-III, SP-IV, SP-IVM, Red 1
Maserati 231603
Mazda ATF D-II
Mazda ATF M-III
Mazda ATF M-V
Mazda ATF A7
Mazda ATF FZ
Mazda ATF F-1
Mazda ATF S-1
Mazda ATF N-1
MAZDA ATF 3317
MINI COOPER T-IV
Mitsubishi Diaqueen SK
Mitsubishi Diaqueen SP
Mitsubishi Diaqueen SP-II
Mitsubishi Diaqueen SP-III
Mitsubishi Diaqueen SP-IV
Mitsubishi Diaqueen AW
Mitsubishi Diaqueen J2
Mitsubishi Diaqueen J3
Mitsubishi Diaqueen ATF-MA1
Mitsubishi Diaqueen ATF PA
NAG 1 (Chrysler, Jeep, Cherokee)
Nissan Matic Fluid C
Nissan Matic Fluid D
Nissan Matic Fluid J
Nissan Matic Fluid K
Nissan Matic Fluid P
Nissan Matic Fluid S
Nissan Matic Fluid W
Opel/GM 19 40 700

Eurol B.V. Energiestraat 12, 7442 DA Nijverdal, The Netherlands, tel. +31 548 61 51 65, www.eurol.com

This document is intended to inform you about product properties and possible applications of Eurol products. Because of continuous product research and development, the information in this document can be changed at all times, without foregoing notice. The analytical data in this product data sheet are typical values. Small deviations, which may occur during the normal manufacturing process of the product, will not affect the quality of the product. Although this information sheet is compiled with great care, Eurol accepts no liability for damage resulting from incompleteness and/or inaccuracies in the text. We recommend that you always follow the manufacturer's instructions.



E113668 Eurol Transfluid ATF-CVT Complete specification list:

Opel/GM 19 40 767
Opel/GM 21005966 Transaxle
Opel/GM 22 17466
Opel/GM 88900925
Opel/GM 9986195
Opel/Vauxhall 7-speed CVT, 95529854
Peugot ZF 4HP20
Peugeot/Citreon Z 000169756
Porsche 000 043 205 09
Porsche 999 917 547 00 (A2)
Porsche 000 043 205 28
Porsche Z 000169756
Porsche ATF 3403-M115,
Porsche T-IV (JWS 3309)
PSA B71 2340
Renault Matic D2
Renault DPO/AL4
Renault Samsung SATF-D
Saab T-IV (JWS 3309)
Saab 93 165 147
Saab 93 160 393
Saturn T-IV (JWS 3309)
Scion (all vehicles)
Shell 134
Shell M-1375.4
Shell L12108
Shell 3353
Ssang yong DSIH 5M-66
Subaru ATF
Subaru K0140Y0700
Subaru ATF 5AT
Subaru Dexron®-II
Subaru Opel Original ATF 09117946/93160393
Suzuki ATF AW-1
Subaru ATF, ATF HP
Suzuki AT OIL 5D06
Suzuki ATF 2326
Suzuki ATF 2384K
Suzuki JWS 3309
Suzuki ATF 3314
Suzuki ATF 3317
Texaco 7045-E
Texaco 8072B
Texaco N402
Toyota ATF D-II
Toyota ATF D-III
Toyota ATF Type T

Eurol B.V. Energiestraat 12, 7442 DA Nijverdal, The Netherlands, tel. +31 548 61 51 65, www.eurol.com

This document is intended to inform you about product properties and possible applications of Eurol products. Because of continuous product research and development, the information in this document can be changed at all times, without foregoing notice. The analytical data in this product data sheet are typical values. Small deviations, which may occur during the normal manufacturing process of the product, will not affect the quality of the product. Although this information sheet is compiled with great care, Eurol accepts no liability for damage resulting from incompleteness and/or inaccuracies in the text. We recommend that you always follow the manufacturer's instructions.



E113668 Eurol Transfluid ATF-CVT Complete specification list:

Toyota ATF T-III
Toyota ATF T-IV
Toyota ATF WS
Vickers M2950-S, I-286-S
Voith Svc Bltn #013 and #118
Volvo PN 1161521
Volvo PN 1161540/1161640
Volvo 97325
Volvo 97335
Volvo CE 97340
Volvo CE 97341
VW 5 HP (ZF 5 HP 30)
VW 5HP (18FL, 30)
VW 5HP (19FL, 24A)
VW G 052 025-A2
VW G 053 025-A2
VW G 052 162-A1/A2 (ZF Lifeguardfluid 5)
VW G-053 162 A1 (ZF Lifeguardfluid 5)
VW G 055 005-A/A1/A2 (ZF Lifeguardfluid 6)
VW G 060 162 (ZF Lifeguardfluid 8)
VW G 055 025 A2 (JWS 3309)
VW G 052 055
VW G 052 990
VW G 055 540-A2
VW TL 521 62
VW G US 000 162
ZF 3, 4, & 6 speed transmissions
ZF 8 speed transmissions
ZF TE-ML 05L
ZF 9AT
ZF TE-ML 09
ZF TE-ML 09X
ZF TE-ML 11A, 11B
ZF TE-ML 21L
Service-fill 9 & 10 speed step-Ats
Audi Multitronic
BMW Mini Cooper EZL 799/ 83 22 0 136 376/ 83 22 0 429 154
Chery CVT
Citroen PSA Standard 9735EF
Daihatsu AMMIX CVTF DFE
Daihatsu AMMIX CVT Fluid DC
Daihatsu AMMIX CVT Fluid DFC
Daihatsu Fluid TC
Dodge/Jeep/Chrysler NS-2
Dodge/Chrysler/Jeep/Mopar CVT+4
Fiat Tutela Car CVT N.G
Ford WSD-M2C-199A

Eurol B.V. Energiestraat 12, 7442 DA Nijverdal, The Netherlands, tel. +31 548 61 51 65, www.eurol.com

This document is intended to inform you about product properties and possible applications of Eurol products. Because of continuous product research and development, the information in this document can be changed at all times, without foregoing notice. The analytical data in this product data sheet are typical values. Small deviations, which may occur during the normal manufacturing process of the product, will not affect the quality of the product. Although this information sheet is compiled with great care, Eurol accepts no liability for damage resulting from incompleteness and/or inaccuracies in the text. We recommend that you always follow the manufacturer's instructions.



E113668 Eurol Transfluid ATF-CVT

Complete specification list:

Fujjyuuko i-CVTF FG
GM/Saturn DEX-CVT, GM1940713 and 1940714
GM/Saturn CVTF I-Green2
Honda Multimatic HMMF (without starting clutch)
Honda HCF2
Honda Z-1 (CVT model, without starting clutch)
Honda CVT (not for use in any Honda with starting clutch)
Hyundai/Kia CVT-1
Hyundai/Kia SP III (CVT model)
Idemitsu CVTF-EX1
Lexus Fluid TC, Fluid FE
Mazda JWS 3320
MG Rover EM-CVT
Mini Cooper EZL/EZL 799A.ZF CVT V1
Mitsubishi CVTF-J1 (MMC Diaqueen CVT Fluid J1)
Mitsubishi CVTF-J4 and -J4+ (MMC Diaqueen CVT Fluid J4 and J4+)
Mitsubishi (Diaqueen) SP-III (CVT model only)
Mitsubishi CVTF ECO J4
Nissan NS-1, -2, -3
Nissan NS-1
Nissan NS-2
Nissan NS-2V
Nissan NS-3
Nissan N-CVT
Peugeot PSA Standard 9735EF
Punch CVT (without starting clutch)
Renault Elf Matic CVT
Shell Green 1V
Subaru iCVT
Subaru iCVT FG
Subaru ECVT
Subaru Lineartronic chain CVT and CVT II Fluid, K0425Y0710 & K0425Y0711
Subaru Lineartronic chain CVT 3 Fluid
Subaru Lineartronic High Torque (HT) CVT Fluid, CV-30, K0421Y0700
Subaru High Torque CVTF-LV
Suzuki CVTF TC
Suzuki CVTF 3320
Suzuki CVTF 4401
Suzuki NS-2
Suzuki CVT Green 1 & 2
Suzuki CVT Green 1V
Toyota CVTF TC
Toyota CVTF FE
Volvo CVT 4959
VW/Audi TL 525 16 (G 052 516)
VW/Audi TL 521 80 (G 052 180)
Zotye CVTs

Eurol B.V. Energiestraat 12, 7442 DA Nijverdal, The Netherlands, tel. +31 548 61 51 65, www.eurol.com

This document is intended to inform you about product properties and possible applications of Eurol products. Because of continuous product research and development, the information in this document can be changed at all times, without foregoing notice. The analytical data in this product data sheet are typical values. Small deviations, which may occur during the normal manufacturing process of the product, will not affect the quality of the product. Although this information sheet is compiled with great care, Eurol accepts no liability for damage resulting from incompleteness and/or inaccuracies in the text. We recommend that you always follow the manufacturer's instructions.



E113668 Eurol Transfluid ATF-CVT Complete specification list:

Zoyote CVT
Ford Escape Hybrid with eCVT
Honda e:HEV
Honda iMMD
Jatco JR712E
Jatco CVT 8 Hybrid
Mazda SKYACTIVE-HYBRID
Nissan ePower
Nissan Altima Hybrid
Tesla Model S and Model 3
Toyota THSII/Toyota Prius
Toyota THS 5th Gen. / Toyota Noah, Voxy etc.

Eurol B.V. Energiestraat 12, 7442 DA Nijverdal, The Netherlands, tel. +31 548 61 51 65, www.eurol.com

This document is intended to inform you about product properties and possible applications of Eurol products. Because of continuous product research and development, the information in this document can be changed at all times, without foregoing notice. The analytical data in this product data sheet are typical values. Small deviations, which may occur during the normal manufacturing process of the product, will not affect the quality of the product. Although this information sheet is compiled with great care, Eurol accepts no liability for damage resulting from incompleteness and/or inaccuracies in the text. We recommend that you always follow the manufacturer's instructions.